•	Hits	Search Text	DB	Time stamp
lumber		(detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
	36192	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:42
		fail\$4)	EPO; JPO;	
		Tall (44)	DERWENT;	
			IBM_TDB	
	4030	bus adj bridge\$	USPAT;	2003/08/06
	4939	Dus auj briugee	US-PGPUB;	16:43
			EPO; JPO;	
	'		DERWENT;	
			IBM_TDB	
	4706	internal adj logic	USPAT;	2003/08/06
	4700	Internal auj 103.0	US-PGPUB;	16:44
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
	3854	power adj regulator\$	USPAT;	2003/08/06
	3034	potro. unj. og	US-PGPUB;	16:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	7516	fault adj1 signal	USPAT;	2003/08/06
•	7510	laute auj 1 0.5	US-PGPUB;	16:47
	Ì		EPO; JPO;	ļ
			DERWENT;	
			IBM_TDB	
_	24	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
8	24	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:48
		fail\$4)) with (bus adj bridge\$)	EPO; JPO;	
			DERWENT;	
	`		IBM_TDB	
^	o	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
9		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:48
		fail\$4)) with (bus adj bridge\$)) with (internal	EPO; JPO;	
		adj logic)	DERWENT;	
		,,,,,,,, .	IBM_TDB	
10	1	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
10	Ì	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:49
	- 1	fail\$4)) with (bus adj bridge\$)) same (EPO; JPO;	
		internal adj logic)	DERWENT;	
			IBM_TDB	
44		1 ((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
11	-	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:50
		fail\$4)) same (bus adj bridge\$) same (EPO; JPO;	
		internal adj logic) same (power adj	DERWENT;	
	1	regulator\$)	IBM_TDB	
12	2	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
12	3	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB	; 16:50
		fail\$4)) same (bus adj bridge\$)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	1
			IBM_TDB	

		the standard or monitors (4) with	USPAT;	2003/08/06
3	1 ((//detect54 or track34 or monitory)		16:50
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
	1	fail\$4)) same (bus adj bridge\$)) and (DERWENT;	
		internal adj logic) and (power adj	IBM_TDB	
		regulator\$)	USPAT;	2003/08/06
14	1	(((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	16:51
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
		fail\$4)) same (bus adj bridge\$)) and (power	DERWENT;	
		adj regulator\$)	IBM_TDB	
			USPAT:	2003/08/06
15	37662	power with bus	US-PGPUB;	16:52
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
	1		USPAT;	2003/08/06
17	0	(((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	16:53
	1	power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	, -
	1	fail\$4)) same (fault adj1 signal) same (power	DERWENT;	
		with bus)) and (bus adj bridge\$)	IBM_TDB	
	1		USPAT;	2003/08/06
16	35	((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	17:22
	1	power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	•••
		fail\$4)) same (fault adj1 signal) same (power		
		with bus)	DERWENT;	
	Ì		IBM_TDB	2003/08/06
18	7025	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4	USPAT;	17:34
10		or inoperat\$) adj3 (bus or PCI)	US-PGPUB;	17.54
			EPO; JPO;	
			DERWENT;	
	Ì		IBM_TDB	2003/08/06
19	14	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17.23
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	
		interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus	DERWENT;	
		or PCI))	IBM_TDB	2003/08/06
20	32680	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4	USPAT;	_
		or inoperat\$ or disconnect\$4) with (bus or	US-PGPUB;	17.33
		PCI)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/08/06
21	148	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	1
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB	, 17.30
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPU; JPU;	
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT;	
		disconnect\$4) with (bus or PCI))	IBM_TDB	2003/08/06
22	4	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB	
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO,	
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT	•
		disconnect\$4) with (bus or PCI))) and (bus	IBM_TDB	
		adj bridge\$)		

		(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
23	7	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17:36
	\ \	power with (faults4 of effort of processors4 or	EPO; JPO;	
	1	fail54)) With ((disable of stoppe of	DERWENT;	
		interrupt\$4 or nait\$4 or inoperate of	IBM_TDB	1
		disconnect \$4) With (bus of Form) and ((DIII_100	
		internal adj logic)	HEDAT.	2003/08/06
24	2	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	17:37
•		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17:37
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT;	
		disconnect\$4) with (bus or PCI))) and (power	IBM_TDB	
		adj regulator\$)		
		((((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
25	11	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17:37
		power with (raults4 of enough of	EPO; JPO;	
		fail\$4)) with ((disabl\$4 or stop\$4 or	DERWENT;	
	1	interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	
		disconnect\$4) with (bus or PCI))) and (bus		
		adj bridge\$)) or ((((detect\$4 or track\$4 or		
		monitor\$4) with power with (fault\$4 or		
	l	error\$ or problem\$ or fail\$4)) with ((disabl\$4		
		or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$ or disconnect\$4) with (bus or		
		PCI))) and (internal adj logic)) or		
	l l	((((detect\$4 or track\$4 or monitor\$4) with	Ļ	
	ļ	power with (fault\$4 or error\$ or problem\$ or		
	Ì	fail\$4)) with ((disabl\$4 or stop\$4 or		
	Ì	interrupt\$4 or halt\$4 or inoperat\$ or		
		disconnect\$4) with (bus or PCI))) and (power		
		adj regulator\$))	USPAT;	2003/08/06
26	9	(((((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB	17:43
	Ì	power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	1
		fail\$4)) with ((disabl\$4 or stop\$4 or	DERWENT;	
		interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	'
	1	disconnect\$4) with (bus or PCI))) and (bus	IBM_IDB	
		adi bridge\$)) or ((((detect\$4 or track\$4 or	ļ	
		monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4	1	
	l	or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$ or disconnect\$4) with (bus or		
	Ì	PCI))) and (internal adj logic)) or		
		((((detect\$4 or track\$4 or monitor\$4) with	ļ	
		power with (fault\$4 or error\$ or problem\$ or		Ì
		fail\$4)) with ((disabl\$4 or stop\$4 or	!	•
		fail\$4)) With ((disable of stope of sto	Ì	
	1	interrupt\$4 or halt\$4 or inoperat\$ or		
		disconnect\$4) with (bus or PCI))) and (power		
1		adj regulator\$))) not (((detect\$4 or track\$4	1	
	ļ	or monitor\$4) with power with (fault\$4 or		
	1	error\$ or problem\$ or fail\$4)) with ((disabl\$4	•	
		or stop\$4 or interrupt\$4 or halt\$4 or		
ļ	Į	inoperat\$) adj3 (bus or PCI)))		

			USPAT;	2003/08/06
7	3366	(714/?).ccls.	US-PGPUB;	17:44
			EPO; JPO;	
	Ì		DERWENT;	
	1		IBM_TDB	
		(740/0)	USPAT;	2003/08/06
28	2901	(710/?).ccls.	US-PGPUB;	17:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	000000000
	657	(712/?).ccls.	USPAT;	2003/08/06
29	657	(712): //3010:	US-PGPUB;	17:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/08/06
30	6845	((714/?).ccls.) or ((710/?).ccls.) or	USPAT;	
30	00-10	((712/?).ccls.)	US-PGPUB;	17
		"	EPO; JPO; DERWENT;	
			IBM TDB	
		0.00	USPAT:	2003/08/06
31	198	((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	T
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
		fail\$4)) same ((disabl\$4 or stop\$4 or	DERWENT;	
		interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	
		disconnect\$4) with (bus or PCI))	USPAT;	2003/08/06
32	11	(((714/?).ccls.) or ((710/?).ccls.) or	US-PGPUB	; 17:45
		(((712/?).ccls.)) and (((detect\$4 or track\$4 or	EPO; JPO;	
	}	monitor\$4) with power with (fault\$4 or	DERWENT	: \
		error\$ or problem\$ or fail\$4)) same		
		((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4		
1		or inoperat\$ or disconnect\$4) with (bus or		
1		PCI)))	1	

33	9	((((714/?).ccls.) or ((710/?).ccls.) or	USPAT; US-PGPUB;	2003/08/06 17:45
		((712/?).ccls.)) and (((detect\$4 or track\$4 or	EPO; JPO;	
		monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) same	DERWENT;	
		((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4	IBM_TDB	
		or inoperat\$ or disconnect\$4) with (bus or		
		PCI)))) not ((((((detect\$4 or track\$4 or		
		monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
		or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$ or disconnect\$4) with (bus or PCI))) and (bus adj bridge\$)) or ((((detect\$4		
		or track\$4 or monitor\$4) with power with		
		(fault\$4 or error\$ or problem\$ or fail\$4))		
		with ((disabl\$4 or stop\$4 or interrupt\$4 or		
		halt\$4 or inoperat\$ or disconnect\$4) with		
		(bus or PCI))) and (internal adj logic)) or		
		((((detect\$4 or track\$4 or monitor\$4) with		
		power with (fault\$4 or error\$ or problem\$ or		
		fail\$4)) with ((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$ or		
		disconnect\$4) with (bus or PCI))) and (power		
		adj regulator\$))) not (((detect\$4 or track\$4		
		or monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
	1	or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$) adj3 (bus or PCI)))) or (((detect\$4		
		or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4))	1	
		with ((disabl\$4 or stop\$4 or interrupt\$4 or		
		halt\$4 or inoperat\$) adj3 (bus or PCI))))		

L	Hits	Search Text	DB	Time stamp
umber	00100	(detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
	36192	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:42
			EPO; JPO;	
		fail\$4)	DERWENT;	
			IBM_TDB	
			USPAT;	2003/08/06
2	4939	bus adj bridge\$,	16:43
			US-PGPUB;	10:43
	ľ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000100106
4	4706	internal adj logic	USPAT;	2003/08/06
-			US-PGPUB;	16:44
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	3854	power adj regulator\$	USPAT;	2003/08/06
5	3034	house and reducers	US-PGPUB;	16:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			USPAT;	2003/08/06
7	7516	6 fault adj1 signal	US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	2002/09/06
8	24	((detect\$4 or track\$4 or monitor\$4) with power with (fault\$4 or error\$ or problem\$ or fail\$4)) with (bus adj bridge\$)	USPAT;	2003/08/06
_			US-PGPUB;	16:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	0	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
9	J	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:48
		fail\$4)) with (bus adj bridge\$)) with (internal	EPO; JPO;	
			DERWENT;	
		adj logic)	IBM_TDB	
			USPAT;	2003/08/06
10	1	(((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
		fail\$4)) with (bus adj bridge\$)) same (DERWENT;	
		internal adj logic)		
			IBM_TDB	2003/08/06
11	1	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	
	ŀ	power with (fault\$4 or error\$ or problem\$ or fail\$4)) same (bus adj bridge\$) same (US-PGPUB;	16:50
			EPO; JPO;	
		internal adj logic) same (power adj	DERWENT;	
		regulator\$)	IBM_TDB	
42	30		USPAT;	2003/08/06
12	30	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:50
		fail\$4)) same (bus adj bridge\$)	EPO; JPO;	
		Isinaa)) same (nas auj niiugua)	DERWENT;	
			IBM_TDB	

	1	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
13	•	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:50
		fail\$4)) same (bus adj bridge\$)) and (EPO; JPO;	
		internal adj logic) and (power adj	DERWENT;	
		regulator\$)	IBM_TDB	0000108106
4	1	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
•		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	16:51
	1	fail\$4)) same (bus adj bridge\$)) and (power	EPO; JPO;	
		adj regulator\$)	DERWENT;	
			IBM_TDB	0002/09/06
15	37662	power with bus	USPAT;	2003/08/06
			US-PGPUB;	16:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/08/06
17	0	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	16:53
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	10:03
		fail\$4)) same (fault adj1 signal) same (power	EPO; JPO;	
		with bus)) and (bus adj bridge\$)	DERWENT;	
			IBM_TDB	2003/08/06
16	35	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	17:22
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17:22
		fail\$4)) same (fault adj1 signal) same (power	EPO; JPO;	
		with bus)	DERWENT;	
			IBM_TDB	2003/08/06
18	7025	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus or PCI)	USPAT;	17:34
			US-PGPUB;	17:34
			EPO; JPO;	
			DERWENT;	
	-		IBM_TDB	2003/08/06
19	14	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	
	1	power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17:25
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	
		interrupt\$4 or halt\$4 or inoperat\$) adj3 (bus	DERWENT;	
		or PCI))	IBM_TDB	2003/08/06
20	32680	(disabl\$4 or stop\$4 or interrupt\$4 or halt\$4	USPAT;	
		or inoperat\$ or disconnect\$4) with (bus or	US-PGPUB;	17139
	ļ	PCI)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/08/06
21	148	((detect\$4 or track\$4 or monitor\$4) with	USPAT;	l l
<u>-</u>		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB	17.50
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT;	
	Ì	disconnect\$4) with (bus or PCI))	IBM_TDB	2003/08/06
22	4	(((detect\$4 or track\$4 or monitor\$4) with	USPAT;	
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB	; 17:30
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	.
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT	i
		disconnect\$4) with (bus or PCI))) and (bus	IBM_TDB	
		adj bridge\$)		

Search History 8/6/03 5:48:02 PM Page 2

		44 A4)(4h	USPAT;	2003/08/06
23	7	(((detect54 of track54 of moments)	US-PGPUB;	17:36
		nower with (fault)4 or errors or problems	EPO; JPO;	
		failS4)) With ((disabled of Stoppe of	DERWENT;	
		interrupt\$4 or nait\$4 or inoperate of	IBM_TDB	
		disconnect\$4) With (bus of Poi/// and (. 	
		internal adj logic)	USPAT;	2003/08/06
24	2	(((detect54 or track34 or momitor47)	US-PGPUB;	17:37
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
		fail\$4)) with ((disabl\$4 or stop\$4 or	DERWENT;	
		interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	
		disconnect\$4) with (bus or PCI))) and (power	12	
1		adj regulator\$)	USPAT;	2003/08/06
25	11	((((detect\$4 or track\$4 or monitor\$4) with	US-PGPUB;	17:37
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
l		fail\$4)) with ((disabl\$4 or stop\$4 or	DERWENT;	
		interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	
		disconnect\$4) with (bus or PCI))) and (bus	. 2111 22	
		adj bridge\$)) or ((((detect\$4 or track\$4 or		
		monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
ļ		or stop\$4 or interrupt\$4 or halt\$4 or		· ·
ļ		inoperat\$ or disconnect\$4) with (bus or		
		PCI))) and (internal adj logic)) or		
		((((detect\$4 or track\$4 or monitor\$4) with		
		power with (fault\$4 or error\$ or problem\$ or		1
		fail\$4)) with ((disabl\$4 or stop\$4 or]	1
	}	interrupt\$4 or halt\$4 or inoperat\$ or	1	
		disconnect\$4) with (bus or PCI))) and (power	1	
		adi regulator\$))	HCDAT.	2003/08/06
26	9	(((((detect\$4 or track\$4 or monitor\$4) with	USPAT;	40
		power with (fault\$4 or error\$ or problem\$ or	US-PGPUB;	17.40
		fail\$4)) with ((disabl\$4 or stop\$4 or	EPO; JPO;	
		interrupt\$4 or halt\$4 or inoperat\$ or	DERWENT;	}
		disconnect\$4) with (bus or PCI))) and (bus	IBM_TDB	
		adi bridge\$)) or ((((detect\$4 or track\$4 or		
		monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
		or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$ or disconnect\$4) with (bus or		
	1	PCI))) and (internal adj logic)) or		
		((((detect\$4 or track\$4 or monitor\$4) with	1	
		power with (fault\$4 or error\$ or problem\$ or		
		fail\$4)) with ((disabl\$4 or stop\$4 or		
		interrupt\$4 or halt\$4 or inoperat\$ or		
	1	disconnect\$4) with (bus or PCI))) and (power	'	
		adi regulator\$))) not (((detect\$4 or track\$4		
1		or monitor\$4) with power with (fault\$4 or		ľ
		error\$ or problem\$ or fail\$4)) with ((disabl\$4	·	ļ
		or stop\$4 or interrupt\$4 or halt\$4 or	1	
		inoperat\$) adj3 (bus or PCI)))		

Search History 8/6/03 5:48:02 PM Page 3

			USPAT;	2003/08/06
7	3366	(714/?).ccls.	US-PGPUB;	17:44
-			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
	1		USPAT;	2003/08/06
28	2901	(710/?).ccls.	US-PGPUB;	17:44
20			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			USPAT;	2003/08/06
	657	(712/?).ccls.	US-PGPUB;	17:44
29	951	(/	1	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	2003/08/06
		((714/?).ccis.) or ((710/?).ccis.) or	USPAT;	
30	6845	((/14/).ccis) or ((****)	US-PGPUB;	17:44
	1	((712/?).ccls.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
		((detect\$4 or track\$4 or monitor\$4) with	USPAT;	2003/08/06
31	198	((detect\$4 or track\$4 or months or problem\$ or	US-PGPUB	17:45
		power with (fault\$4 or error\$ or problem\$ or	EPO; JPO;	
ļ		fail\$4)) same ((disabl\$4 or stop\$4 or	DERWENT;	i
		interrupt\$4 or halt\$4 or inoperat\$ or	IBM_TDB	
	1	disconnect\$4) with (bus or PCI))	USPAT;	2003/08/06
32	11	(710/?).ccis.) or (710/?).ccis.) or	1	; 17:45
32	1	(1742/2) cole \\ and (((detect\$4 or track\$4 or	EPO; JPO;	
			DERWENT	
		a bloms or fall54)) same	i	
		www.sig4 or eton\$4 or interrupta4 or marty-	IRM-12B	
1		or inoperat\$ or disconnect\$4) with (bus or	1	
		PCI)))		l

33	9	((((714/?).ccls.) or ((710/?).ccls.) or	USPAT;	2003/08/06
		((712/?).ccls.)) and (((detect\$4 or track\$4 or	US-PGPUB;	17:46
		monitor\$4) with power with (fault\$4 or	EPO; JPO;	
		error\$ or problem\$ or fail\$4)) same	DERWENT;	
		((disabl\$4 or stop\$4 or interrupt\$4 or halt\$4	IBM_TDB	
		or inoperat\$ or disconnect\$4) with (bus or		
		PCI)))) not ((((((detect\$4 or track\$4 or		
		monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
		or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$ or disconnect\$4) with (bus or		
		PCI))) and (bus adj bridge\$)) or ((((detect\$4		
		or track\$4 or monitor\$4) with power with	:	
		(fault\$4 or error\$ or problem\$ or fail\$4))		
		with ((disabl\$4 or stop\$4 or interrupt\$4 or		
		halt\$4 or inoperat\$ or disconnect\$4) with		
		(bus or PCI))) and (internal adj logic)) or]	
		((((detect\$4 or track\$4 or monitor\$4) with		
		power with (fault\$4 or error\$ or problem\$ or		
		fail\$4)) with ((disabl\$4 or stop\$4 or		
		interrupt\$4 or halt\$4 or inoperat\$ or		
		disconnect\$4) with (bus or PCI))) and (power		
		adj regulator\$))) not (((detect\$4 or track\$4		
		or monitor\$4) with power with (fault\$4 or		
		error\$ or problem\$ or fail\$4)) with ((disabl\$4		
		or stop\$4 or interrupt\$4 or halt\$4 or		
		inoperat\$) adj3 (bus or PCI)))) or (((detect\$4		
		or track\$4 or monitor\$4) with power with		
		(fault\$4 or error\$ or problem\$ or fail\$4))		
		with ((disabl\$4 or stop\$4 or interrupt\$4 or		
		halt\$4 or inoperat\$) adj3 (bus or PCI))))		